

MG-60



raw material approved by
ECOCERT GREENLIFE, conform
to the COSMOS Standard



multi-functional
carbohydrate liquid
from
Hayashibara

MG-60

for smooth texture and long lasting foam



MG-60

multi-functional carbohydrate liquid

MG-60 is a carbohydrate liquid derived from starch that can be used in:

Skin care : toners & creams

Hair care : shampoos & conditioners

Retention of skin suppleness

MG-60 is ideally suited for retention of skin suppleness. A combination of MG-60 and glycerin can be particularly helpful in optimizing the hygroscopic balance of skin care products, with the glycerin helping to improve dry skin and the MG-60 helping to retain skin suppleness.

Improved body of hair

When used in hair care products, MG-60 can improve the texture and body of hair making it feel more luxuriant. The smooth coating provided by MG-60 helps prevent the "scratchy feeling" (due to high friction) that is associated with some shampoos after washing.

Smoothness

The addition of MG-60 improves the texture and smoothness of skin care products, whether formulated in an emulsion or a lotion.


Cleansing : body soaps, shower gels, & facial washes

Improved foaming and bubble retention

When MG-60 is used in cleansing products, it results in a fine and rich lather.

Structure of MG-60

MG-60 is a starch-derived carbohydrate liquid, comprising maltooligosyl glucoside and hydrogenated starch hydrolysate.



Property
1

Makes soft and bouncy foam

Adding MG-60 to skin cleansing agent kept the foam shape resulting in soft and bouncy foam.



0% MG-60



5% MG-60


Each skin cleansing agent sample was diluted 10 times with distilled water. Each diluted sample was beaten in a blender for 1 min to make foam. Then same volume of each foam was funneled onto the mesh. The photos demonstrate the foam 3 min after being beaten in the blender.

Property
2

Makes more homogeneous emulsions

Smaller and more homogeneous emulsion particles were observed when MG-60 was used to replace glycerin.

■ Emulsification test in cream (soap emulsion)



Images of emulsion particles in homogenized creams containing MG-60 and glycerin at the indicated concentrations were captured by digital HD microscope (VH-7000, Keyence).

Efficacy
1

Protection against skin irritation by strong surfactants

MG-60 may be used to reduce irritation in products especially formulated for sensitive skin.

Furthermore, it can even reduce irritation and itchiness induced in sensitive skin by strong surfactants, such as those used in certain soaps.

■ Enlarged images of treated skin patches




A 10% SDS solution with or without the addition of 20% MG-60 was applied for 2 hours to skin patches on the inner upper arm of volunteers. Skin surface images were captured by digital HD microscope. The addition of MG-60 to a strong detergent solution helps maintain a more natural appearance of the skin.

Efficacy
2

Restoration of damaged hair

MG-60 possess an “over-coating” ability that leads to restoration of damaged hair.

■ Effect of MG-60 on damaged hair



A bleached/damaged hair was placed in a solution containing 50% MG-60 for 20 minutes, and was then washed and dried. Images of the cuticles was captured by a scanning electron microscope (x700).

Contact Us

Japan

HAYASHIBARA CO., LTD.

Nihon-Seimei Okayama Bldg. II Shinkan
1-1-3 Shimoishii, Kita-ku, Okayama 700-0907, Japan
(TEL/FAX) +81-86-224-4312/+81-86-233-2265
Please visit our website at <http://www.intl.hayashibara.co.jp/>
for general information and inquiries.

NAGASE & CO., LTD.

Hayashibara Products Sec.
Personal Care Products Div. Life & Healthcare Products Dept.
5-1, Nihonbashi-Kobunacho, Chuo-ku, Tokyo 103-8355, Japan
(TEL/FAX) +81-3-3665-3864/+81-3-3665-3131
dnpchb@nagase.co.jp

North and South America

Nagase America Corp.

546 Fifth Avenue 16th Floor, New York, NY
10036-5000, U.S.A.
(TEL/FAX) +1-212-703-1340/+1-212-398-0687
hayashibara@nagase-nam.com

Nagase do Brasil Comércio de Produtos Químicos Ltda.

Rua Cubatão, 86, 304 e 306, Vila Mariana CEP 04013-000,
São Paulo, SP
(TEL/FAX) +55-11-3251-3111/+55-11-3262-3451
contato@nagasebrasil.com.br

Europe

Nagase (Europa) GmbH

Immermannstrasse 65C, 40210 Dusseldorf, Germany
(TEL/FAX) +49-211-866200/+49-211-3237068
hayashibara@nagase.de

Nagase (Europa) GmbH, London Branch

33 Cavendish Square, London,
W1G 0PW, UK
(TEL/FAX) +44-(020)7182-4948/+44-(020)3402-2427
hayashibara@nagase.de

Asia

Nagase Business Management and Planning (Shanghai) Co., Ltd.

02, 7F Eco City, 1788 Nanjing Road(W),
Shanghai, P.R. China 200040
(TEL/FAX) +86-(21)33607851/+86-(21)33607852
hayashibara@nagase.cn

Nagase (Taiwan) Co., Ltd.

16F, No. 248, Sec.3, Nanking E.Rd., Taipei, Taiwan, R.O.C.
(TEL/FAX) +886-(2)27733668/+886-(2)27737288

Nagase (Hong Kong) Ltd.

Suites 3901 & 3912-14, Tower 6, The Gateway,
Harbour City, 9 Canton Road, Tsim Sha Tsui,
Kowloon, Hong Kong, S.A.R., P.R. China
(TEL/FAX) +852-2302-7607/+852-2377-2720
nag.color-img-web@nagase.com.hk

Nagase Korea Corp.

Danam Bldg., 23F. 10, Sowol-ro, Jung-gu, Seoul,
Korea 04527
(TEL/FAX) +82-(2)7538589/+82-(2)7348747

South East Asia and Oceania

Nagase Singapore (Pte) Ltd.

600 North Bridge Road #11-01 Parkview Square
Singapore 188778
(TEL/FAX) +65-63980088/+65-63980227
hayashibara@nagase.com.sg

Nagase India Private Ltd.

312, Hubtown Solaris, N.S. Phadke Marg, Near East West
Flyover, Andheri East, Mumbai 400 069, India
(TEL/FAX) +91-22-6681-8585/+91-22-6681-8508
hayashibara@nagase.co.in

Nagase (Thailand) Co., Ltd.

No 952, Ramaland Building, 14th Floor, Rama IV Road,
Kwaeng Suriyawongse, Khet Bangrak, Bangkok
10500 Thailand
(TEL/FAX) +66-(2)6327253/+66-(2)6327254
hayashibara@nagase.co.th

The information provided herein is for customers in the cosmetic industry and/or cosmetic related industries. None of the information is for end consumers of the final formulations.

The cosmetic industry and/or cosmetic related industry customer is responsible for determining whether products are in compliance with applicable laws and other governmental enactments.

Performance of the products described herein should be verified by testing and carried out only by qualified experts. It is the sole responsibilities of the customer to carry out and arrange for such testing. Hayashibara assumes no liability for providing such information and advice including the extent to which such information and advice may relate to existing third party intellectual rights, especially patents rights.

Hayashibara does not make any warranty or representation, express or implied, with respect to the utility or completeness of the information provided and specifically disclaims the implied warranties of merchandise-ability and fitness for a particular purpose.

Unauthorized reproduction of this brochure is prohibited.

INCI name:
Maltooligosyl Glucoside
Hydrogenated Starch Hydrolysate

MG-60 is manufactured by
Hayashibara Co., Ltd. in Japan.

